

# LORICARIA PLECOSTOMUS.



## CHARACTER GENERICUS.

*Corpus* lorica tum.

*Os* subtus.

*Bloch. ichtb.* 11. p. 55.

## CHARACTER SPECIFICUS, &c.

LORICARIA flava, fusco maculata, cauda striis plurimis transversis fuscis, dorso dipterygio.

LORICARIA PLECOSTOMUS. L. pinnis dorfi duabus.

*Lin. Syst. Nat.* p. 508.

ACCIPENSER Indicus. A. ore cirris duobus.

*Lin. mus. Ad. Frid.* p. 55. t. 28. f. 4.

LORICARIA PLECOSTOMUS.

*Bloch.* 11. p. 57. t. 374.

---

Genus Loricaria paucas continet species, quarum illa in tabula depicta rivos incolit Americanos, in Brasilia præcipue reperta, longitudine, ut plurimum, pedali.







A. 17

London: Published Dec: 1799 by: F. & J. Nodder New-man Street.

THE  
YELLOW LORICARIA.



*GENERIC CHARACTER.*

*Body* mailed.

*Mouth* situated underneath.

*SPECIFIC CHARACTER, &c.*

YELLOW LORICARIA, spotted with brown,  
with two dorsal fins, and tail marked with  
several brown transverse stripes.

---

The genus *Loricaria* contains but very few species, of which that represented on the present plate is a native of the American rivers, and is principally found in Brasil. Its general length is about a foot.